Department of Environmental Protection    Type of Proposition   Protection   Protec	2500-FM-LRWM0313 10/97								
Complaint - Joint   WMGR025SE001   10/22/2002   10/22/2002					RT				
Nutra Soil, Inc.    Telephone   Telephone	Complaint - Joint Facility/Incident Name and Location Nutra Soils, Inc.	WMGR0	VMGR025SE001 10/22/2002			10/22/2002  Municipality  London Grove Twp  County			
A complaint investigation at Nutra Soils, Inc. located in London Grove Township, Chester County was conducted on October 22, 2002, by Mr. Kevin Bauer and Mr. Gary Bonner of the Department's Waste Management Program. Representatives from the Department's Water Quality and Air Quality Programs and Mr. Dan Greig of the Chester County Conservation District were also present. Mr. Carlos Tenorio, Mr. Mike Losito, and Mr. Gary Roberts were present for the facility. The following observations were noted:  1. The facility's composting records were reviewed. The windrows on the four composting pads are being turned every one to two weeks depending upon the conditions. With increased rainfall, the windrows are turned every week. Records indicate that the windrows are reaching the minimum temperature (131 °F) for the required 15 days. The piles are actually reaching approximately 155 °F for at least 20 days.  2. The facility continues to accept mushroom compost, paper pulp, silica gel, water treatment plant residuals, and cocoa bean shells. There was no evidence (sight or odors) that sewage	Mike Losito / Phil Guenz Nutra Soil, Inc.		kenamon, PA	19374	Telephone	9-7645	22424244244		⊠NO
	A complaint investigatic County was conducted Department's Waste M Quality and Air Qualit District were also preserves present for the facility.  1. The facility's composare being turned every the windrows are turned minimum temperature approximately 155 °F for the facility continue plant residuals, and continue to the second sec	on Octobellanagement. Mr. ( The following reconstoner to two ed every very very at least to accept to a constant and the stone to accept the stone to ac	per 22, 2002, by out Program. It ms and Mr. Da Carlos Tenoricowing observatords were revieweek. Records for the required t 20 days.	y Mr. Keving Representation Greig of the one	n Bauer tives from the Che e Losito, noted: windrow the cond at the w The pile	and Mr. m the De ster Cour and Mr. vs on the ditions. V vindrows es are act o, silica g ight or oc	Gary Bepartmenty Con Gary R four con With inc are reac tually re	onner nt's W servat koberts mposti crease ching eaching	of the Vater tion s were ing pads d rainfall, the g

	Date
555 North Lane.	10/23/02
Conshohocken, PA 19428	Telephone (0/0-832-6/8)
Title	Date
	Telephone
	Conshohocken, PA 19428

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Page	1	of	2	

Department of	GENERAL	Bureau of Land Recycling
Environmental Protection	INSPECTION REPORT	and Waste Management

Facility/Incident Name and Location	Municipality
Nutra Soils Inc	London Grove Twp
	County
	Chester

Δ	DD	ITI	0	M	ΔΙ	R	FI	1	ΔF	2K	5
$\overline{}$	-			I VI	$\sim$ 1	_   \		V II /	$\neg$	111	U.

3. The condition of the pads was in relatively good shape. In some areas, residual compost on the
ground along the outside of the windrows needed to be removed so as to allow leachate to drain
from the pad and into the collection basins. The excess finished compost to the north and south
of pad 1A and to the east of pad 2C has been removed. The SMS pile that was passively
composting on the western side of pad 1A has been windrowed and is in the process of being
removed.

Inspector Name	Inspector Signature	Date
Kevin C. Bauer	FENTA C Bauer	10/23/02